

REMARKS

Claims 4-5 remain in the application.

Claim 4 had been rejected under 35 USC § 112 second paragraph because there was no antecedent basis for "the wall" in line 4 and "the inner wall" and "the outer wall" in line 7. The wording has been removed.


Claim 5 had been rejected under 35 USC § 112 second paragraph because there was no antecedent basis for "the open distal end" in line 2. Applicant has removed "open" and suggest that there is antecedent basis for "the distal end" of the body as outline in element 4. (a).

Claim 6 had been rejected under 35 USC § 112 second paragraph because there was no antecedent basis for "the fluid" in line 2. The claim has been cancelled.

Applicant believes that the removal of the wording from claims 4 and 5 does not materially affect the claims as the structure is and location of the elements are clearly pointed out in the specification.

Applicant respectfully requests reconsideration and early allowance of the amended claims.

Respectfully Submitted,



Richard L. Moseley
ATTORNEY FOR APPLICANT
Reg. No. 32,482
P.O. Box 630708
Houston, Texas 77263
(713)780-7047

Date 6/13/07




CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United Postal States Service as first class mail in an envelope addressed to:

Mail Stop Non Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

on 6/13/07.



Richard L. Moseley